

## 1. Identification

Product number Product identifier Revision date	30105 <b>SOL 540 20 OZ MRO SUPER SLVNT DGRSR LB 12PK</b> 03-04-2015			
Version #	03			
Supersedes date	02-19-2015			
Recommended use	Cleaner			
Recommended restrictions 2. Hazard(s) identification	None known.			
Physical hazards Health hazards	Gases under pressure Skin corrosion/irritation Serious eye damage/eye irritation Germ cell mutagenicity Carcinogenicity Specific target organ toxicity, single exposure	Compressed gas Category 2 Category 2A Category 2 Category 1 Category 3 narcotic effects		
Environmental hazards	Not classified.			
OSHA defined hazards	Not classified.			
Label elements				
Signal word Hazard statement		heated. Causes skin irritation. Causes serious eye Suspected of causing genetic defects. May cause		
Precautionary statement				
Prevention Response	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.			
Storage	Store in a well-ventilated place. Keep containe sunlight. Store in a well-ventilated place.			
Disposal		vith local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.			
Supplemental information	None.			

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Trichloroethylene		79-01-6	90 - 100

Chemical name Carbon Dioxide CAS number 124-38-9 **%** 2.5 - 10



#: This substance has workplace exposure limit(s).

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

<b>.</b> .	
4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Wash clothing separately before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth.
-	
Most important symptoms/effects, acute and delayed	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release meas	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
Environmental precautions	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling Conditions for safe storage, including any incompatibilities	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Do not re-use empty containers. Do not get in eyes, on skin, on clothing. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Level 1 Aerosol.
	Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS). Level 1 Aerosol (NFPA 30B)

# 8. Exposure controls/personal protection

**Occupational exposure limits** 

US. OSHA Table Z-1 Limit Contaminants (29 CFR 19 Trichloroethylene (CAS 79-01-6)	• • • • • • • • • • • • • • • • • • • •		25 ppm	
Biological limit values ACGIH Biological Exposu Components	re Indices Value	Determinant S	pecimen	Sampling Time
Carbon Dioxide (CAS 124-38-9)	STEL		5400	00 mg/m3
	TWA		9000	00 ppm 0 mg/m3 0 ppm

Trichloroethylene (CAS 01-6)	15 mg/l 79-	Trichloroacetic acid	Urine	*	Components Type Value
010)	0.5 mg/l	Trichloroethano	Blood	*	
Carbon Dioxide (CAS		PEL		9000 mg/m3	
124-38-9)					
				5000 ppm	
US. OSHA Table Z-2 (29	CFR 1910.1000)				
Components		Туре		Value	
Trichloroethylene (CAS		Ceiling		200 ppm	
79-01-6)					
		TWA		100 ppm	
US. ACGIH Threshold Li	imit Values				
Components		Туре		Value	
Carbon Dioxide (CAS		STEL		30000 ppm	
124-38-9)					
,		TWA		5000 ppm	
Trichloroethylene (CAS		STEL		25 ppm	
79-01-6)					
		TWA		10 ppm	
US. NIOSH: Pocket Guid	le to Chemical Haz	ards			
Components		Туре		Value	
		I, without			

hydrolysis \* - For sampling details, please see the source document.

Appropriate engineering	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates
controls	should be matched to conditions. If applicable, use process enclosures, local exhaust
	ventilation, or other engineering controls to maintain airborne levels below recommended
	exposure limits. If exposure limits have not been established, maintain airborne levels to an
	acceptable level. Eye wash facilities and emergency shower must be available when handling
	this product. Facilities storing or utilizing this material should be equipped with an eyewash
Individual protection measure	facility and a safety shower. s, such as personal protective equipment
Eve/face protection	Chemical respirator with organic vapor cartridge and full facepiece.
Hand protection	Wear appropriate chemical resistant gloves.
-	wear appropriate chemical resistant gloves.
Skin protection	
Other Skin	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
protection	
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene	When using do not smoke. Always observe good personal hygiene measures, such as
considerations	washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
9. Physical and chemical	I properties
Appearance	Clear.
Physical state	Liquid.
Form	Aerosol. Compressed gas.
Color	Colorless.
Odor	Characteristic.
Odor threshold	Not available.
рН	Not applicable estimated

Melting point/freezing point	Not available.
Initial boiling point and boiling range	188.96 °F (87.2 °C) estimated
Flash point	None estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp Flammability limit - lower	losive limits Not available.
(%)	NUL AVAIIADIE.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	100 - 120 psig @70F estimated
Vapor density	Not available.
Relative density	1.516 g/cm3 estimated estimated
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.47 g/cm3 estimated
Percent volatile	96.45 % estimated
Specific gravity VOC (Weight %)	1.516 estimated estimated 96.45 % estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use. Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials. Fire or intense heat may cause violent rupture of packages.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Hydrogen chloride. Other hazardous decomposition products may be formed.
11. Toxicological informat	ion
Information on likely routes of e	
Ingestion Inhalation	Expected to be a low ingestion hazard. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be
Skin contact	harmful. Causes skin irritation.
Eye contact	Causes serious eye irritation.
Symptoms related to the	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and
physical, chemical and toxicological characteristics Information on toxicological effe	blurred vision. Skin irritation. May cause redness and pain. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. May cause central nervous system effects.
Acute toxicity	Narcotic effects. Expected to be a low hazard for usual industrial or commercial handling by trained personnel.
Product	Species Test Results

#### 20 OZ MRO SUPER SLVNT DGRSR LB 12PK (CAS Mixture)

Fish <b>Components</b> Trichloroethylene (CAS 79-01 <b>Aquatic</b> Crustacea	-6) EC50 LC50	Daphnia Fish	2.2 mg/L, 48 Hou 40.8933, 96 Hour	
Fish Components Trichloroethylene (CAS 79-01 Aquatic		Daphnia	2.2 mg/L, 48 Hou	additional component data
Fish <b>Components</b> Trichloroethylene (CAS 79-01	-6)			additional
Fish Components	-6)			
Fish				
		Species	Test Results	product may be
Crustacea	LC50	Fish		Hours * Estimates for
•	EC50	Daphnia	2.2775 mg/L, 48 l	Hours
Aquatic				
20 OZ MRO SUPER SLVNT I		PK (CAS Mixture)		
Product		Species	Test Results	
2. Ecological information cotoxicity	Harmful to ac hazardous. F	quatic life with long lasting effects. lowever, this does not exclude the amaging effect on the environment.		
	-		a onpositio may cause child	
hronic effects		halation may be harmful. Prolonged	avocura may causa abra	nic effects
epeated exposure spiration hazard	Not an aspira	ation hazard		
pecific target organ toxicity -	Not classified	1.		
pecific target organ toxicity - ingle exposure	May cause d	rowsiness or dizziness. May cause	drowsiness and dizziness.	
eproductive toxicity	Suspected of	f damaging fertility.		
US. National Toxicology Pro Trichloroethylene (CAS 7		-	icipated to be a Human Ca	cinogen.
I richloroethylene (CAS 7 Regulated Substances (29 C Not listed.		IL: Consumer Commodity Carcinog -1050)	jenic to humans. <b>OSHA Sp</b>	ecifically
Carcinogenicity				
erious eye damage/eye Causes	serious eye ir	ritation. irritation		Overall Evaluation
kin corrosion/irritation	Causes skin			cancer. IARC Monographs.
* Estimates for product may be	e based on add	ditional component data not shown.		Carcinogenicity May cause
				defects.
LC50	Rat		1044 mg/l/4h	causing genetic
Inhalation			12500 ppm, 4 Hours	mutagenicity Suspected of
LD50	Rat		19031 mg/kg	Germ cell
Dermal				expected to cause skin sensitization.
Acute				product is not
omponents richloroethylene (CAS 79-01-6)	Species		Test Results	sensitization This
LD50	Rat <b>Species</b>		Test Results	respiratory sensitize Skin
Oral				sensitization Not a
2030	Rat		1081 mg/l/4h	Respiratory
				Respiratory or skin sensitization
Inhalation LC50	nai		19701 mg/kg	Peopiratory or skip
	Rat		10701 //	

Bioaccumulative potential	No data available.
Partition coefficient n-octane	
Trichloroethylene Mobility in soil	2.61 No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation
	potential, endocrine disruption, global warming potential) are expected from this component.
13. Disposal consideration	S
Disposal instructions	Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
US RCRA Hazardous Waste	U List: Reference
Trichloroethylene (CAS 79	9-01-6) U228
Waste from residues / unused products product residues	Dispose of in accordance with local regulations. Empty containers or liners may retain some . This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.
14. Transport information	
DOT	
UN number	UN1950
UN proper shipping name	Aerosols
Transport hazard class(es)	
Class	2.2
Subsidiary risk	6.1(PGIII)
Label(s)	2.2, 6.1
Packing group	Not applicable.
	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Packaging exceptions	306
Packaging non bulk None P None	ackaging bulk
Until 12/31/2020, the "Consum mark for packages of UN 1950	ion requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. her Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.
UN number	UN1950
UN proper shipping name	Aerosols, non-flammable, containing substances in Division 6.1, PG III
Transport hazard class(es)	
Class	2.2
Subsidiary risk	6.1(PGIII)
Label(s)	2.2, 6.1
	licable. Environmental
hazards No.	
ERG Code	2P
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.

IMDG VN number UN1950 UN proper shipping name AEROSOLS Transport hazard class(es) Class 2.2 Subsidiary risk 6.1(PGIII) Label(s) 2.2+6.1 Packing group Not applicable. Environmental hazards F-D,S-U Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. Read safety packaging Exceptions NOT LTD QTY Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code DOT VI VI PG III 4 ATA; IMDG VI ATA; IMDG
UN proper shipping name Transport hazard class(es) AEROSOLS   Class 2.2   Subsidiary risk 6.1(PGIII)   Label(s) 2.2+6.1   Packing group Not applicable.   Environmental hazards Marine pollutant   Marine pollutant No.   EmS F-D,S-U   Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.   Packaging Exceptions NOT LTD QTY   Transport in bulk according to Not applicable.   BEC Code Not   DOT FOR MARPOL 73/78 and the   IBC Code PG III   Qas 6
Transport hazard class(es) Class 2.2 Subsidiary risk 6.1(PGIII) Label(s) 2.2+6.1 Packing group Not applicable. Environmental hazards Marine pollutant No. EmS F-D,S-U Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. Read safety Environmental hazards Marine pollutant No. EmS F-D,S-U Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. Read safety Environs, SDS and emergency procedures before handling. Read safety Packaging Exceptions NOT LTD QTY Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code DOT FIAMMABLE Q BII Q 6
Class 2.2   Subsidiary risk 6.1(PGIII)   Label(s) 2.2+6.1   Packing group Not applicable.   Environmental hazards F-D,S-U   Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.   Packaging Exceptions NOT LTD QTY   Transport in bulk according to Not applicable.   BIBC Code Not   DOT Image: Comparison of the transment of the transm
Subsidiary risk Label(s) 6.1(PGIII) 2.2+6.1   Packing group Not applicable.   Environmental hazards Marine pollutant   Marine pollutant No.   EmS F-D,S-U   Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.   Packaging Exceptions NOT LTD QTY   Transport in bulk according to Not   applicable. Annex II of MARPOL Not   BIG Code V   VON-FLAMMABLE PG III   Q3 6
Label(s) 2.2+6.1 Packing group Not applicable. Environmental hazards Marine pollutant No. EmS F-D,S-U Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. Read safety Packaging Exceptions NOT LTD QTY Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code DOT VIEW VIEW VIEW VIEW VIEW VIEW VIEW VIEW
Packing group Not applicable.   Environmental hazards No.   Marine pollutant No.   EmS F-D,S-U   Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.   Packaging Exceptions NOT LTD QTY   Transport in bulk according to Not   applicable. Annex II of MARPOL 73/78 and the   IBC Code   DOT   Vinverse   Vinverse   PG III   2
Environmental hazards Marine pollutant No.   EmS F-D,S-U   Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.   Packaging Exceptions NOT LTD QTY   Transport in bulk according to Not   applicable. Annex II of MARPOL 73/78 and the   IBC Code   DOT
Marine pollutant No.   EmS F-D,S-U   Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.   Packaging Exceptions NOT LTD QTY   Transport in bulk according to Not   applicable. Annex II of MARPOL 73/78 and the   IBC Code DOT   Other in the context is the context
EmS F-D,S-U Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. Packaging Exceptions NOT LTD QTY Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code DOT VON-FLAMMABLE GAS PG III 6
Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. Packaging Exceptions NOT LTD QTY Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code DOT NON-FLAMMABLE GAS 2
Packaging Exceptions NOT LTD QTY Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code DOT VON-FLAMMABLE QAS 2 COM COM COM COM COM COM COM COM
Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code DOT VON-FLAMMABLE GAS 2 VON-FLAMMABLE 6
applicable. Annex II of MARPOL 73/78 and the IBC Code DOT NON-FLAMMABLE GAS PG III 6
DOT NON-FLAMMABLE GAS 2 BC Code DOT PG III 6
DOT NON-FLAMMABLE GAS PG III 6
NON-FLAMMABLE GAS 2 6
GAS 2 PG III 6
2 6
2 IATA; IMDG
IATA; IMDG
IATA; IMDG
IATA; IMDG
General information IMDG Regulated Marine Pollutant.
15. Regulatory information
US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication
Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
Not regulated.
CERCLA Hazardous Substance List (40 CFR 302.4)
Trichloroethylene (CAS 79-01-6) Listed.
SARA 304 Emergency release notification
Not regulated.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
Not listed.
Superfund Amendments and Reauthorization Act of 1986 (SARA)
Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - Yes
Reactivity Hazard - No

SA	RA 302 Extremely hazard	ous substance			
	Not listed.				
-	RA 311/312 Hazardous emical	No			
SA Other	RA 313 (TRI reporting) Chemical name Trichloroethylene		<b>CAS number</b> 79-01-6	<b>% by wt.</b> 90 - 100	
Se	ection 112 Hazardous Air F	ollutants (HAPs) List			Clean Air Act (CAA)
	Trichloroethylene (CAS 75 ean Air Act (CAA) Section Not regulated.	9-01-6)	se Prevention (40 CFR	68.130)	
	fe Drinking Water Act DWA)	Not regulated.			
US sta	te regulations				
US	6. Massachusetts RTK - Sι	Ibstance List			
US	Carbon Dioxide (CAS 124 Trichloroethylene (CAS 79 5. New Jersey Worker and	9-01-6)	ow Act		
US	Carbon Dioxide (CAS 124 Trichloroethylene (CAS 79 C. Pennsylvania Worker an	9-01-6)	Know Law		
US	Carbon Dioxide (CAS 124 Trichloroethylene (CAS 75 5. Rhode Island RTK	,			
	Trichloroethylene (CAS 79	9-01-6)			
US	<b>5. California Proposition 6</b> WARNING: This product of		n to the State of Californi	a to cause cancer.	
	US - California Propositi	on 65 - CRT: Listed date	e/Carcinogenic substan	ice	
	Trichloroethylene (CA	S 79-01-6)	Listed: April 1, 19	988	
	ntional Inventories puntry(s) or region	Inventory name			On inventory (yes/no)*
Au	stralia	Australian Inventory of C	Chemical Substances (Al	CS)	Yes
Ca	inada	Domestic Substances Li	st (DSL)		Yes
Ca	inada	Non-Domestic Substance	· · · ·		No
Ch	lina	Inventory of Existing Ch	emical Substances in Ch	ina (IECSC)	Yes
Eu	rope	European Inventory of E Substances (EINECS)	xisting Commercial Cher	mical	Yes
Eu	rope	European List of Notified	d Chemical Substances (	ELINCS)	No
Ja	pan	Inventory of Existing and	d New Chemical Substan	ices (ENCS)	Yes
Ko	rea	Existing Chemicals List	(ECL)		Yes
Ne	w Zealand	New Zealand Inventory			Yes
Ph	ilippines	Philippine Inventory of C (PICCS)	chemicals and Chemical	Substances	Yes
*A A "	ited States & Puerto Rico "Yes" indicates that all compone No" indicates that one or more untry(s).		ith the inventory requirement		

## 16. Other information, including date of preparation or last revision

Issue date	12-18-2014
Revision date	03-04-2015
Version #	03

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Product and Company Identification: Alternate Trade Names GHS: Classification

**Revision Information**